COLTRI SUB®

www.coltrisub.it

DIVING GEAR

MADE IN ITALY

OJ 1.0

BCD'S

TECHNICAL DATA

SIZE	CODE	BUOYANCY		
		N	Kg	lbs
S	**BC200461/N**	100	10,2	22.5
M	**BC200462/N**	120	12,2	26.9
L	**BC200463/N**	150	15,5	34.1
XL	**BC200464/N**	160	16,3	36

CORDURA® 1000 D OUTSIDE SINGLE BLADDER, NYLON HT 420 D INSIDE BLADDER
(CORDURA® IS A DUPONT® TRADEMARK)

BACKPACK WITH GRIPTEX PADDED COVER

6 STAINLESS STEEL D RINGS WITH A SATIN FINISH

FRONT WEIGHT POCKETS WITH QUICK RELEASE UP TO 5 Kg EACH

POWER X01 TECH INFLATOR

2 mm NEOPRENE COLLAR

3 RAPID DUMPING VALVES
2 OVER PRESSURE VALVES

OJ 2.0

BCD'S

TECHNICAL DATA

SIZE	CODE	BUOYANCY		
		N	Kg	lbs
S	**BC200431/N**	100	10,2	22.5
M	**BC200432/N**	120	12,2	26.9
L	**BC200433/N**	130	13,2	29.1
XL	**BC200434/N**	150	15,5	34.1

CORDURA® 1000 D OUTSIDE SINGLE BLADDER, NYLON HT 420 D INSIDE BLADDER
(CORDURA® IS A DUPONT® TRADEMARK)

4 STAINLESS STEEL D RINGS

SIDE WEIGHT POCKETS WITH QUICK RELEASE UP TO 2 Kg EACH

F2 INFLATOR

NEOPRENE COLLAR

3 RAPID DUMPING VALVES
1 OVER PRESSURE VALVE

TYKE

BCD'S

TECHNICAL DATA

SIZE	CODE	BUOYANCY		
		N	Kg	lbs
XS	**BC200120XS**	50	5,1	11.2
S	**BC200120S**	90	9,1	20

CORDURA® 1000 D OUTSIDE SINGLE BLADDER, CORDURA® 420 D INSIDE BLADDER
(CORDURA® IS A DUPONT® TRADEMARK)

4 STAINLESS STEEL D RINGS

2 RAPID DUMPING VALVES
1 OVER PRESSURE VALVE

ACCESSORIES

BCD'S

NYLON HOSE 75 cm
FOR JACKET
CODE **BC200230/XT**

F2 COMPLETE, COMPLETE INFLATOR
FOR OJ 2.0 - HOSE INCLUDED
LENGTH 400 mm
CODE **BC200265**
FOR TYKE, HOSE INCLUDED
LENGTH 340 mm
CODE **BC200263**

KIT OVERPRESSURE VALVE
CODE **BC200250**

POWER X01 INFLATOR
CODE **BC200260**

RUBBER HOSE 75 cm
FOR JACKET
CODE **BC200230**

POWER X01 TECH, COMPLETE INFLATOR
FOR OJ 1.0 - HOSE INCLUDED
LENGTH 400 mm
CODE **BC200240**

F2 INFLATOR
CODE **BC200260FP**

CYLINDER BELT
FOR 10/12/15/18 L
CODE **BC200170A**
FOR 5 L
CODE **BC200170**

POLARIS

REGULATOR

TECHNICAL DATA

VERSION	CODE	WEIGHT		HOSE LENGTH	
		gr	lbs	cm	feet
DIN 300 bar	**RE100063**	1.368 gr	3	120	3.9

1st STAGE

DIAPHRAGM TYPE BALANCED

BLACK CHROMIUM PLATED BODY

HYPERBALANCED TILL 70 bar

2 HP AND 4 LP PORTS

BRAIDED SLEEVING HOSE

2nd STAGE

PNEUMATICALLY BALANCED

VENTURI ASSISTED REGULATION WITH DIVE AND PRE-DIVE

ALUMINUM WHEEL FOR BREATHING SENSIBILITY

ANTIFREEZE SYSTEM



SINTHESIS

REGULATOR

TECHNICAL DATA

VERSION	CODE	WEIGHT		HOSE LENGTH	
		gr	lbs	cm	feet
DIN 230 bar	**RE100062**	1.190 gr	2.6	120	3.9
INT 230 bar	**RE100061**	1.190 gr	2.6	120	3.9

1st STAGE

STANDARD D PISTON TYPE

CHROMIUM PLATED BODY

L-SHAPED CYLINDER CONNECTION

2 HP AND 4 LP PORTS

BRAIDED SLEEVING HOSE

2nd STAGE

PNEUMATICALLY BALANCED
FOR HIGH BREATHING PERFORMANCE
WITH LOW REMAINING PRESSURE (0.83J/L WITH 50 bar)

VENTURI ASSISTED REGULATION WITH DIVE AND PRE-DIVE



CRUISER

OCTOPUS

TECHNICAL DATA

CODE	WEIGHT		HOSE LENGTH	
	gr	lbs	cm	feet
RE100064	540 gr	1,2	94	3

VENTURI ASSISTED REGULATION WITH DIVE AND PRE-DIVE
BRAIDED SLEEVING HOSE



ACCESSORIES

REGULATORS

BLACK SILICONE
MOUTHPIECE
CODE **RE100280**

DIN PLUG
CODE **RE100381**

SERVICE KIT
SINTHESIS 1st STAGE
CODE **RE100255/INT**

SERVICE KIT
POLARIS 1st STAGE
DIN 300 VERSION
CODE **RE100256/DIN**

SERVICE KIT
POLARIS 2nd STAGE
CODE **RE100261**

SERVICE KIT
SINTHESIS 1st STAGE
DIN 300 VERSION
CODE **RE100255/DIN**

SERVICE KIT
SINTHESIS AND
CRUISER 2nd STAGE
CODE **RE100259**

100 cm
YELLOW RUBBER HOSE
FOR OCTOPUS
CODE **RE100306**

75 cm
NYLON BLACK HOSE
CODE **RE100290/XT**

94 cm
NYLON YELLOW HOSE
FOR OCTOPUS
CODE **RE100306/XT/940**

DIN/INT YOKE
CODE **RE100350**

BCD'S CONTROL
PRESSURE GAUGE FITTING
CODE **RE100260**

CALIBRATION
PRESSURE GAUGE
FOR REGULATORS
SINTHESIS
POLARIS
CRUISER
CODE **RE100428**

SERVICE KIT FOR REGULATORS
CODE **RE10100**

MC 350

PRESSURE GAUGE

TECHNICAL DATA

CODE	HOSE LENGTH	
	cm	feet
IN500106/N	80	2.6

BODY PRINTED AND CHROME PLATED BRASS 52 mm / 2” DIAMETER

RARE BERYLLIUM BOURDON SPRING MECHANISM

HI-RESISTANT HP HOSE

TEMPERED GLASS

LUMINESCENT DIAL

0-350 bar RANGE (10 bar INCREMENT)

MP 1 - 350

CONSOLE

TECHNICAL DATA

CODE	HOSE LENGTH	
	cm	feet
IN500112	80	2.6

INTEGRATE CONSOLE SYSTEM,PRESSURE GAUGE + DEPTH GAUGE

MC 350 PRESSURE GAUGE

TC 80 DEPTH GAUGE

MP 4

CONSOLE

TECHNICAL DATA

CODE	HOSE LENGTH	
	cm	feet
IN500127	80	2.6

INTEGRATE CONSOLE SYSTEM PRESSURE GAUGE + DEPTH GAUGE + COMPASS

MC 300 PRESSURE GAUGE

TC 80 DEPTH GAUGE

TC 1 COMPASS

TC 1

COMPASS

HI-RESISTANCE ABS MODULE

HI-RESISTANCE POLYCARBONATE GLASS
WITH LUMINESCENT DIAL

HORIZONTALLY PIVOTED SYSTEM
WITH SHOCKPROOF LIQUID

0-360° RANGE (10° INCREMENT)

CODE **IN500270**

TC 80

DEPTH GAUGE

HI-RESISTANCE ABS MODULE

HI-RESISTANCE POLYCARBONATE GLASS WITH LUMINESCENT DIAL

MAX DEPTH INDICATOR (RED POINTER)

BAROMETRIC ADJUSTABLE COMPENSATE SYSTEM (MANUAL)

0-80 m RANGE (1 METER INCREMENT)

CODE **IN500130**

ACCESSORIES

PRESSURE GAUGE & CONSOLE

HP PRESSURE GAUGE HOSE
80 cm LENGTH

CODE **IN500080**

SWIVEL

CODE **IN500082**

L 15 | L 15 | L 10 | L 5 | L 10 x 2 | L 10 x 2 with harness

STEEL CYLINDERS

PED CERTIFICATED

TECHNICAL DATA

LITRES	CODE	bar	VALVE	DIAMETER	HEIGHT*	WEIGHT*
				mm	mm	Kg
15	**TK700130/M/232**	232	Single	203	620	18,2
15	**TK700130/232**	232	Double 2-2000	203	620	18,2
10	**TK700110**	232	Single	171	575	10,2
5	**TK700100**	232	Single	140	440	5,7
10 + 10	**TK700150**	232	Bibo 25 x 2	171	575	10,2 x 2
10 + 10	**TK700151**	232	Bibo 25 x 2	171	575	10,2 x 2

CERTIFICATE AVAILABLE ON WEB

*Indicative without boot and valve

ALUMINUM CYLINDERS

PED CERTIFICATED

TECHNICAL DATA

MODEL	LITRES	CODE	bar	VALVE	DIAMETER	HEIGHT*	WEIGHT*
					mm	mm	Kg
S 80	11.1	**TK700111/PED**	200	Coltri Single 25 x 2	184,2	658	14,2
S 80	11.1	**TK700112**	200	Double 2-2000	184,2	658	14,2
S 40	5.8	**TK700115**	200	Coltri Single 25 x 2	133,4	635	7,3

CERTIFICATE AVAILABLE ON WEB

*Indicative without valve

PRESSURE TEST GAUGES

INT VERSION
CODE **IN500150**

DIN 200/300 bar UNIVERSAL VERSION
CODE **IN500151/300**

VALVES

2-2000 DOUBLE VALVE 25x2
CODE **VA800140**

SINGLE VALVE 25x2
CODE **VA800124**
SINGLE VALVE 3/4 NPSM
CODE **VA800125**

ACCESSORIES

CYLINDERS

HANDLE
CODE **TK700230**

DIN-INT ADAPTER ISO VERSION
CODE **VA800199/ISO**

BOOTS FOR 10+10 L
171 mm DIAMETER
CODE **TK700210**
FOR 12/15/18 L
203 mm DIAMETER
CODE **TK700200**
FOR 10 L
171 mm DIAMETER
CODE **TK700190**
FOR 5 L
140 mm DIAMETER
CODE **TK700185**

COLTRI SUB SPARE PARTS KIT SINGLE VALVE
3/4 - 25x2 TYPE
CODE **VA800113**

HARNESS FOR TWIN CYLINDERS
FOR 10+10 L
CODE **TK700170**

KIT 2-2000
CODE **VA800196**

KIT DOUBLE VALVE
CODE **VA800195**

BACKPLATE
WITH ADJUSTABLE HARNESS
FOR SINGLE CYLINDER
FOR 10/12/15/18 L
CODE **TK700160**
FOR 5 L
CODE **TK700161**

BLACK NET
FOR 10/12 L CODE **TK700220**
FOR 15 L CODE **TK700221**
FOR 18 L CODE **TK700222**
YELLOW NET
FOR 10/12 L CODE **TK700223**
FOR 15 L CODE **TK700224**
FOR 18 L CODE **TK700225**



INNER AND OUTER IN NYLON MATERIAL
LATEX MATERIAL FOR NECK AND CUFFS
HI-RESISTANCE TO ABRASION STITCHING
SI-TECH INTAKE VALVE AND SI-TECH EXHAUST AUTO VALVE
LATEX BELLOWS NECK SEAL WITH NEOPRENE
BRASS DRY ZIPPER WITH PROTECTION
HEAVY DUTY BOOTS INCLUDED WITH HARD SOLE
ADJUSTABLE REMOVABLE BRACES/SUSPENDERS
HD KNEE PADS AND PROTECTION TO THE ZIPPER
NEOPRENE NECK AND CUFFS ON DEMAND

STANDARD ACCESSORIES

NEOPRENE HOOD
HOSE WITH QUICK COUPLING 900 mm LENGTH
AIR BAG

AMPHIBIA PC

TECHNICAL DATA

SIZE	CODE	THICKNESS	TYPE
		mm	
S	**WS300827**	3 precompressed	DRYSUIT
M	**WS300828**	3 precompressed	DRYSUIT
L	**WS300829**	3 precompressed	DRYSUIT
XL	**WS300830**	3 precompressed	DRYSUIT

MEASURE CHART

SIZE	HEIGHT	CHEST	BOOT
	cm	cm	
XS	ON DEMAND	WITH BOOTS	37-38
S	155-160	94	39
M	165 170	98	40-41
L	175-180	106	42
XL	180-185	118	43-44
XXL	ON DEMAND	WITH BOOTS	45-46
XXXL	ON DEMAND	WITH BOOTS	47-48

TWO PIECES

OUTER NYLON AND INNER PLUSH MATERIAL

STITCHING HI-RESISTANCE TO ABRASION

SMOOTH NEOPRENE FOR ANKLES,
FACES CONTOUR AREA AND CUFFS

BLIND STITCH SYSTEM

POWERTEX REINFORCEMENT ON KNEES

FASTENS AT THE GROIN WITH SNAP-ON TOGGLES

WRISTS AND ANKLES DRY CUFFS AND YKK CHIN ZIP

MASTER

TECHNICAL DATA

SIZE			CODE	THICKNESS	TYPE
				mm	
II	S	48	**WS300101**	5	WETSUIT
III	M	50	**WS300102**	5	WETSUIT
IV	L	52	**WS300103**	5	WETSUIT
V	XL	54	**WS300104**	5	WETSUIT
VI	XXL	56	**WS300105**	5	WETSUIT

MEASURE CHART

SIZE			HEIGHT	CHEST	WAIST	PELVIS	NECK
			cm	cm	cm	cm	cm
II	S	48	160-165	86	75	86	32-34
III	M	50	165-170	92	83	90	34-35
IV	L	52	170-175	96	85	94	35-36
V	XL	54	175-180	104	94	98	36-38
VI	XXL	56	180-185	108	97	104	38-40

ONE PIECE WITH NEOPRENE HOOD

OUTER NYLON MATERIAL AND INNER PLUSH MATERIAL

QUICK IDENTIFICATION SIZE ON ARM

CHIN ZIP AND BLIND STITCH SYSTEM

CAREFULLY STUDIED BY DIVING CENTER

YKK CHIN ZIP

PANTHEA

TECHNICAL DATA

SIZE			CODE	THICKNESS	TYPE
				mm	
II	S	48	**WS300137**	5	WETSUIT
III	M	50	**WS300138**	5	WETSUIT
IV	L	52	**WS300139**	5	WETSUIT
V	XL	54	**WS300140**	5	WETSUIT
VI	XXL	56	**WS300141**	5	WETSUIT

MEASURE CHART

SIZE			HEIGHT	CHEST	WAIST	PELVIS	NECK
			cm	cm	cm	cm	cm
II	S	48	160-165	86	75	86	32-34
III	M	50	165-170	92	83	90	34-35
IV	L	52	170-175	96	85	94	35-36
V	XL	54	175-180	104	94	98	36-38
VI	XXL	56	180-185	108	97	104	38-40

OVERALL

SMOOTH SKIN ON CHEST FOR QUICK DRY

STITCHING HI-RESISTANCE TO ABRASION

HD POLYMER REAR ZIPPER

WRISTS AND ANKLES LYCRA

REINFORCEMENT ON KNEES

TRAVEL ONLY USE FOR TROPICAL WATER

TECHNICAL DATA

SIZE			CODE	THICKNESS	TYPE
				mm	
II	S	48	**WS300173**	3	TROPICAL SUIT
III	M	50	**WS300174**	3	TROPICAL SUIT
IV	L	52	**WS300175**	3	TROPICAL SUIT
V	XL	54	**WS300176**	3	TROPICAL SUIT
VI	XXL	56	**WS300177**	3	TROPICAL SUIT

MEASURE CHART

SIZE			HEIGHT	CHEST	WAIST	PELVIS	NECK
			cm	cm	cm	cm	cm
II	S	48	160-165	86	75	86	32-34
III	M	50	165-170	92	83	90	34-35
IV	L	52	170-175	96	85	94	35-36
V	XL	54	175-180	104	94	98	36-38
VI	XXL	56	180-185	108	97	104	38-40

OVERALL

STITCHING HI-RESISTANCE TO ABRASION

HD POLYMER REAR ZIPPER YKK

STRETCH BORDERS

SKY

ONLY USE FOR TROPICAL WATER

TECHNICAL DATA

SIZE			CODE MAN	THICKNESS	TYPE
				mm	
II	S	48	**WS300251**	3	TROPICAL SUIT
III	M	50	**WS300252**	3	TROPICAL SUIT
IV	L	52	**WS300253**	3	TROPICAL SUIT
V	XL	54	**WS300254**	3	TROPICAL SUIT
VI	XXL	56	**WS300255**	3	TROPICAL SUIT

SIZE	CODE BABY	AGE	THICKNESS	TYPE
			mm	
I	**WS300245**	2-3 YEARS	3	TROPICAL SUIT
II	**WS300246**	4-6 YEARS	3	TROPICAL SUIT
III	**WS300247**	6-8 YEARS	3	TROPICAL SUIT
IV	**WS300248**	8-10 YEARS	3	TROPICAL SUIT
V	**WS300249**	10-12 YEARS	3	TROPICAL SUIT

ZEROWIND
DRYSUIT UNDERWEAR

STRETCH FABRIC NECK AND WRISTS

FRONTAL ZIPPER

2 GREAT DIMENSION POCKETS

ELASTIC HOLDING TO THE ANKLES

ABSOLUTELY WIND-PROOF

NON-MICROPOROUS ELASTIC MEMBRANE OF THE CLOSED-STRUCTURE

TECHNICAL DATA

SIZE	CODE	TYPE
S	**WS300430**	DRYSUIT UNDERWEAR
M	**WS300431**	DRYSUIT UNDERWEAR
L	**WS300432**	DRYSUIT UNDERWEAR
XL	**WS300433**	DRYSUIT UNDERWEAR

MEASURE CHART

SIZE	HEIGHT	CHEST	WAIST	LEG	CALF
	cm	cm	cm	cm	cm
S	155-160	94	82	51	32
M	165 170	98	85	53	35
L	175-180	106	92	56	37
XL	180-185	118	110	62	44

ACCESSORIES DRYSUIT

NEOPRENE POCKET
CODE **WS300573**

LATEX PAIR CUFFS
CODE **WS300600/U**

SWIVEL INTAKE VALVE
CODE **VALV/CAR/STAG**

SWIVEL EXHAUST VALVE
CODE **VALV/SCA/STAG**

QUICK DISCONNECTED HOSE
90 cm
CODE **BC200230/900**

NEOPRENE HOOD

TECHNICAL DATA

SIZE	CODE	THICKNESS
		mm
S	**WS300615**	5
M	**WS300616**	5
L	**WS300617**	5
XL	**WS300618**	5

ACCESSORIES WETSUIT

BOOTS MT EVO

NEOPRENE 5 mm THICKNESS

SIDE ZIPPER WITH PROTECTION

ANTI-SLIPPER HARD SOLE

SIZE	CODE	LENGTH	USA	EUROPA 1	EUROPA 2
		cm			
XS	**WS300340**	24	6	39	37-38
S	**WS300341**	25	7	39	38-39
M	**WS300342**	26	8	40-41	40
L	**WS300343**	27	9	42	41-42
XL	**WS300344**	28	10	43-44	43-44
XXL	**WS300345**	29	11	45-46	45-46

GLOVES

2,5 mm THICKNESS

BGX STRETCH SPANDEX MATERIAL

POLYURETHANE ANTI-SLIPPER PALM

SIZE	CODE
XS	**WS300635/9ECX**
S	**WS300636/9ECX**
M	**WS300637/9ECX**
L	**WS300638/9ECX**
XL	**WS300639/9ECX**

MOOREA

MASK

FRAMELESS MASK

BLACK SILICONE MATERIAL

TEMPERATE GLASS LENS

CODE **MK600034**

PALAU

MASK

FRAMELESS MASK

BLACK SILICONE MATERIAL

TEMPERATE GLASS LENS

CODE **MK600028**

RANGIROA

MASK

FRAMELESS MASK

BLACK SILICONE MATERIAL

TEMPERATE GLASS LENS

CODE **MK600020**

AIR MAX

SNORKEL

SILVER COLOUR CORRUGATED
WITH PURGE VALVE SYSTEM

MOUTHPIECE MADE WITH HIGH QUALITY
CLEAR SILICONE

ANTI-SPLASH TOP BARRIER
AGAINST WATER ENTERING

FLEX PVC CORRUGATED

CODICE **SN600243**

ACTION

FIN

FULL FOOT BLACK COLOUR

SOFTLEX FOOT MATERIAL

POLIPROPILENE MATERIAL
WITH RUBBER INSERT

SIZE	CODE	LENGTH	WIDTH	HEIGHT	WEIGHT
		cm	cm	cm	Kg
36-37	**FN600178**	55	19,5	8	0,42
38-39	**FN600179**	56	19,5	8	0,49
40-41	**FN600180**	59	20	8	0,55
42-43	**FN600181**	60	20,5	9	0,61
44-45	**FN600182**	63	21,5	9	0,65
46-47	**FN600183**	63	22	9	0,72

SINGLE FIN MEASURES

TRITON

FIN

ADJUSTABLE OPEN HEEL BLACK COLOUR

POLIPROPILENE MATERIAL
WITH RUBBER INSERT

SIZE	CODE	LENGTH	WIDTH	HEIGHT	WEIGHT
		cm	cm	cm	Kg
S	**FN600221**	60,5	21	9	0,78
M-L	**FN600222**	65,5	22,5	9,5	0,91
L-XL	**FN600223**	68,5	23,5	10	0,95

SINGLE FIN MEASURES
LENGTH, WIDTH, HEIGHT: MEASURES WITHOUT STRAP
WEIGHT: MEASURE WITH STRAP

ACCESSORY

FIN STRAP

BUCKLED INCLUDED

CODE **FN600220**

FUSION

FIN

ADJUSTABLE OPEN HEEL WITH STEEL SPRING STRAP

BLACK COLOUR

POLIPROPILENE MATERIAL WITH RUBBER INSERT

SIZE	CODE	LENGTH	WIDTH	HEIGHT	WEIGHT
		cm	cm	cm	Kg
S-M	**FN600150**	61,8	22	8	1,17
M-L	**FN600151**	66	23	9	1,40
L-XL	**FN600152**	70,5	25,5	10	1,80

SINGLE FIN MEASURES
LENGTH, WIDTH, HEIGHT: MEASURES WITHOUT STRAP
WEIGHT: MEASURE WITH STRAP

ACCESSORY

STEEL SPRING STRAP

SIZE	CODE
S-M	**FN600147**
M-L	**FN600153**
L-XL	**FN600148**

NEPTUNE

FIN

ADJUSTABLE OPEN HEEL

BLACK COLOUR

E.V.A. BLADE MATERIAL

SIZE	CODE	LENGTH	WIDTH	HEIGHT	WEIGHT
		cm	cm	cm	Kg
S-M	**FN600160**	54	20	7,5	0,75
M-L	**FN600161**	60	22	9	0,90

SINGLE FIN MEASURES
LENGTH, WIDTH, HEIGHT: MEASURES WITHOUT STRAP
WEIGHT: MEASURE WITH STRAP

ACCESSORY

FIN STRAP

BUCKLED INCLUDED

CODE **FN600220**

SHARK 9

KNIFE

STAINLESS STEEL BLADE WITH ERGONOMIC HANDLE

SHEAT AND STRAP INCLUDED

9 cm/3.5” BLADE LENGTH

23,7 cm / 9.3 OVERALL LENGTH

278 gr / 0.6 lbs
OVERALL WEIGHT WITH SHEAT

CODE **OP900315/N**

AQUATIS

KNIFE

STAINLESS STEEL BLADE WITH ERGONOMIC HANDLE

SHEAT AND STRAP INCLUDED

8,5 cm/3.3” BLADE LENGTH

17,6 cm / 6.9 OVERALL LENGTH

127 gr / 0.2 lbs
OVERALL WEIGHT WITH SHEAT

CODE **OP900332/N**

SHARK 18

KNIFE

STAINLESS STEEL BLADE WITH ERGONOMIC HANDLE

SHEAT AND STRAP INCLUDED

18 cm / 7”
BLADE LENGTH

31 cm / 12.2
OVERALL LENGTH

454 gr / 1 lbs
OVERALL WEIGHT
WITH SHEAT

CODE **OP900289/N**

PACIFIC

SHEAR

STAINLESS STEEL BLADE

SHEAT AND STRAP INCLUDED

8,5 cm / 3.3” BLADE LENGTH

25,2 cm / 9.9 OVERALL LENGTH

412 gr / 0.9 lbs
OVERALL WEIGHT WITH SHEAT

CODE **OP900330**

HD

TROLLEY

1200 D POLYESTER MATERIAL

POLYURETHANE TROLLEY SYSTEM
WITH HEAVY DUTY WHEELS
AND SIDE PROTECTION

2 SIDE FIN POCKETS
2 FRONT POCKETS

3,50 Kg / 7.7 lbs NET WEIGHT

70 cm / 27.5” HEIGHT

37 cm / 14.5” WIDTH

25 cm / 9.8” DEPTH

CODE **OP900248**

AIR

BAG

420 D NYLON BONDED
WITH PVC MATERIAL
AND NYLON DRAINING MESH

33 L VOLUME

DIAMETER 35 cm / 13.7”

WIDTH 71 cm / 27.9”

CODE **OP900215**

ABYSS

LIGHT RECHARGEABLE

700 LUMEN WITH ULTRA WIDE (W/O HEAD)
500 LUMEN WITH WIDE (WITH HEAD)
300 LUMEN WITH CONCENTRATE LIGHT

1,25 HOURS OF AUTONOMY

MAGNETIC REED SWITCH
AND ZOOM

BEAM ANGLE:
140° WITH ULTRA WIDE (W/O HEAD)
50° WITH WIDE (WITH HEAD)
13° WITH CONCENTRATE LIGHT

ILLUMINATION DISTANCE:
30 m / 98.4 feet WITH ULTRA WIDE (W/O HEAD)
48 m / 157 feet WITH WIDE (WITH HEAD)
200 m / 656 feet WITH CONCENTRATE LIGHT

DIMENSIONS:
LENGTH 170 mm / 6.7”
HEAD DIAMETER 47 mm / 1.8”
BODY DIAMETER 30 mm / 1.2”

WRIST LACE INCLUDED

1 RECHARGEABLE BATTERY AND CHARGER

122 METRES MAX OF DEPTH

ANODIZED ALUMINUM BODY

CODE **IN500265**

FLAG

NYLON MATERIAL

70 cm / 27.5” LENGTH

50 cm / 19.6” HEIGHT

CODE **OP900420**

SIGNAL BUOY

PVC MATERIAL

11 cm / 4.3” CIRCUMFERENCE

127 cm / 50” HEIGHT

CODE **OP900205**

BUOY WITH FLAG

PVC MATERIAL

121 cm / 47.6” CIRCUMFERENCE

66 cm / 25.9” HEIGHT

CODE **OP900190**

LIFTING BAGS

PVC MATERIAL

LIFTING WEIGHT	VALVE	CODE
Kg		
30	-	**OP900430**
50	-	**OP900431**
100	1	**OP900432**
200	1	**OP900433**
500	2	**OP900434**
1.000	2	**OP900435**
1.500	2	**OP900436**
2.000	2	**OP900437**

ACCESSORIES

LIFTING BAGS VALVE FOR 100 / 200 / 500 Kg

CODE **OP900500**

LIFTING BAGS VALVE FOR 1000 / 1500 / 2000 Kg

CODE **OP900505**

REELS

ANODIZED ALUMINUM ALLOY BODY

87 m / 285 ft LINE LENGTH

CODE **OP900185/B**

ANODIZED ALUMINUM ALLOY BODY

50 m / 164 ft LINE LENGTH

CODE **OP900186/B**

ACCESSORIES

STANDARD WEIGHT
1 Kg CODE **OP900100**
2 Kg CODE **OP900110**

PLASTIC COATED WEIGHT
1 Kg CODE **OP900126**
2 Kg CODE **OP900131**

WEIGHT BELT
WITH STAINLESS STEEL BUCKLE
140 cm CODE **OP900161**

SOFT WEIGHT
1 Kg CODE **OP900135**
2 Kg CODE **OP900136**

SILICONE SPRAY 200 ml
CODE **OP900390**

SILICONE GREASE
150 gr CODE **OP900403**

NEOPRENE ANKLE WEIGTH (PAIR)
0,5 Kg CODE **OP900150**
1 Kg CODE **OP900140**

AEROTECNICA COLTRI® S.p.A.
via dei Colli Storici 177
25015 Desenzano Del Garda
Brescia - ITALY
Tel: +39.030.99.103.01
+39.030.99.102.97
Fax: +39.030.99.10.283
www.aerotecnicacoltri.it
coltrisub@coltrisub.it

Technical features and product range,
in this catalogue,
can be changed without pre-notice.

EDITION 02-2016

COLTRI SUB®
www.coltrisub.it
MADE IN ITALY